

# Safety Wire & Twisters


## .032" Safety Lock Wire

- Stainless steel safety lock wire that resists work hardening and meets government specifications. 360 ft. roll in unique dispenser that saves waste and is easier to handle

**528-01032**  
360 ft. Roll



**352-02413**  
25 ft. Roll



## Safety Wire Twister

**401-03819** 9"

**401-03816** 6.75"

Made from alloy steel forgings, these SAFETYTWIST pliers offer the user rigid construction, tapered jaws, finely finished cutting edges and a new "long life" twist mechanism. The induction hardened cutting jaws will cut safety wire up to .060 diameter, or two twisted strands of .041" dia. wire. Tapered jaws allow easy access into confined areas. Specially finished jaw faces provide for maximum grip-minimum slip, on the wire being twisted.



## Safety Wire Kits

**401-03820**

9" Twister w/ 25 ft. wire

**401-03817**



6.75" Twister w/ 25 ft. wire



### Helpful Hints For Twisting Your Wire

Lockwire should be installed only one at a time. If the wire is removed, for any reason, it should be destroyed. Kinks and sharp bends should not be made in lockwire.

Lockwire should be as short as possible, attached in the most direct way using the two (2) wire only and installed so the lockwire tends to tighten the bolt or nut. The ends of the wire should have a minimum of three (3) turns.



REV. 06-02-08

(626) 792-7384  
www.FlandersCompany.com



Fax: (626) 792-5341  
www.FlandersCo.com

## “MP” Metric Tool

### 121-08161

- A must-have for on-the-trail repairs or adjustments
- Can be used to remove 8, 10, 12 & 14mm bolts, #2 & #3 Phillips screws, small & medium straight-slot screws and 5 & 6mm Allen bolts
- Includes a 1/4 in. & 3/8 in. socket driver
- 10mm & 12mm 1/4 in. drive sockets included
- Enhance it by adding your own 1/4 in. or 3/8 in. drive socket attachments
- Includes convenient carrying case
- Hard nickel pewter finish

## Replacement Parts

**121-08162** #2 & #3 Phillips bit

**121-08163** 5mm & 6mm hex bit

**121-08164** Straight-slot bit



## 5/16” Deep Socket

### 121-08384

1/4” Drive 12 Point.

- Developed specifically to work with all MP Bits
- Chrome Vanadium Socket
- Satin Chrome Finish
- The perfect accessory for Folding Trail T-Handle Set (121-08297)
- Use with any of our 1/4 inch drivers (121-08158, 121-08359, 121-08363, 121-08364, 121-08231, 121-08297)

## “MP” American Tool

### 121-08173

- Designed for roadside adjustments or service on motorcycles with SAE hardware
- Kit includes Straight-Slot, Phillips, Allen & Torx bits
- Can be used to remove 5/16 in., 7/16 in., 1/2 and 9/16 in. nuts/bolts
- 7/16 in. and 1/2 in Drive sockets are also included
- Comes complete with a convenient durable nylon carrying case with belt

## Replacement Parts

**121-08176** 1/8 AND 3/16 HEX BIT

**121-08177** 7/32 AND 9/64 HEX BIT

**121-08178** 1/4 HEX AND T40 BIT

**121-08179** TORX T25 AND T27 BIT

**121-08180** SLOT & #2 PHILLIPS



REV. 06-02-08

## Metric & Standard T-Handles

### Metric T-Handles

- Durable nickel pewter finish
- Deep 6-point sockets
- Includes a vinyl storage pouch
- Lifetime replacement warranty

### Standard T-Handles

- Polished chrome finish
- 12-point sockets
- Includes a vinyl storage pouch
- Lifetime replacement warranty



**121-08113** T-HANDLE SET, 7 PC METRIC

**121-08093** 8 MM

**121-08094** 10 MM

**121-08095** 12 MM

**121-08096** 13 MM

**121-08097** 14 MM

**121-08098** 17 MM

**121-08099** 19 MM

**121-08315** T-HANDLE SET, 8 PC SAE

**121-08307** 5/16"

**121-08308** 3/8"

**121-08309** 7/16"

**121-08310** 1/2"

**121-08311** 9/16"

**121-08312** 5/8"

**121-08313** 11/16"

**121-08314** 3/4"



## T-Handle Drivers

- Use any 1/4 in. or 3/8 in. drive attachments such as sockets, hex drives, crows foot or swivels
- Chrome-vanadium tool steel shafts
- Durable nickel pewter finish
- Lifetime replacement warranty

**121-08158** 1/4 in. - 8.5" Long

**121-08159** 3/8 in. - 10.5" Long

## Dual Drive Mini T-Handles

- Use T-Handle drive to tighten/loosen fasteners and shaft drive for quick installation/removal of fasteners
- 1/4 in. drive has a compact 6 1/2 in. drive shaft length
- For tight access and easy transport
- Use with 1/4 in. drive sockets, hex drives, crow's foot, swivels, etc.
- Chrome-vanadium tool steel shaft and T-Handle
- Durable nickel pewter finish
- Lifetime replacement warranty

**121-08359** 1/4 in. - 6.5" Long

**121-08360** 3/8 in. - 7.75" Long



## Racer T-Handle Set 121-08145

- Includes the most popular size T-Handles
- 8mm, 10mm, 12mm, and 14mm T-handle sockets
- No. 2 and no. 3 T-handle Phillips screwdrivers
- Durable nickel pewter finish
- Includes a vinyl storage pouch
- Lifetime replacement warranty on T-Handle sockets
- One year warranty on the T-Handle screwdrivers



## T-Handle Phillips Screwdrivers

- Chrome-vanadium tool steel shafts
- Carbon-steel T-Handle
- Durable hard nickel pewter finish
- Sold each or in a set
- Standard one year warranty

**121-08146 Set of 3 - Phillips #1, #2, #3**

**121-08101 Phillips #1**

**121-08102 Phillips #2**

**121-08103 Phillips #3**



## Ball End Allen T-Handles

- Use T-Handle hex to tighten/loosen fasteners and ball-end hex on shaft for quick installation/removal of fasteners
- Ball end allows for better access to hard to reach Allen-head bolts (up to 25-degree working angle)
- Compact 6 3/4" shaft lengths for tight spaces and easy transport
- Chrome-vanadium tool steel shaft and T-Handle
- Durable nickel pewter finish
- Lifetime replacement warranty

**121-08383 Set of 4 - Incl. 4, 5, 6, 8mm**

**121-08374 4mm**

**121-08375 5mm**

**121-08376 6mm**

**121-08377 8mm**



Rev. 06-02-08

# Wrenches

## Mini-Pro T-Handles

- Compact size for easy access and transport
- 6 3/4 in. shaft length
- Chrome-vanadium tool steel shaft
- Durable nickel pewter finish
- Includes a vinyl storage pouch
- Lifetime replacement warranty

<b>121-08401</b>	<b>6mm</b>	<b>Mini-Pro Handle</b>
<b>121-08128</b>	<b>8mm</b>	<b>Mini-Pro Handle</b>
<b>121-08129</b>	<b>10mm</b>	<b>Mini-Pro Handle</b>
<b>121-08130</b>	<b>12mm</b>	<b>Mini-Pro Handle</b>
<b>121-08317</b>	<b>13mm</b>	<b>Mini-Pro Handle</b>
<b>121-08338</b>	<b>14mm</b>	<b>Mini-Pro Handle</b>

### 121-08340

Five piece set includes  
8, 10, 12, 13, and 14 mm sizes



### 121-08320

Three piece set includes  
8, 10, 13 mm sizes



### 121-08131

Three piece set includes  
8, 10, 12 mm sizes



## Tri Drive Mini T-Handle Kit 121-08389

- Use T-Handle drive to tighten/loosen fasteners and shaft drive for quick installation/removal of fasteners
- 1/4" drive has a compact 6" drive shaft length
- Compact size for use in tight spaces and is easy to carry
- Includes 8mm, 10mm, 12mm and 13mm sockets
- Use with 1/4" drive sockets, hex drives, crow's foot, swivels, etc.
- Chrome-vanadium tool steel shaft and T-Handle
- Durable nickel pewter finish
- Lifetime replacement warranty



## T-Handle Ratchets

- Chrome-vanadium tool steel
- Compact design allows for use in confined spaces
- Reversible ratchet
- Comfortable grip
- Patented design
- Lifetime replacement warranty



**121-08231** 1/4 in. Drive

**121-08226** 3/8 in. Drive

REV. 06-02-08

(626) 792-7384  
www.FlandersCompany.com



Fax: (626) 792-5341  
www.FlandersCo.com

## Bits for 5/16" T-Handle

- Durable nickel pewter finish
- Rubber O-ring keep bits securely in place
- Requires 121-08384 1/4 inch drive 5/16 deep socket (not included)

- 121-08162** #2 and #3 PHILLIPS BIT
- 121-08163** M5 AND M6 HEX BIT
- 121-08164** STRAIGHT SLOT BIT
- 121-08176** 1/8 AND 3/16 HEX BIT
- 121-08177** 7/32 AND 9/64 HEX BIT
- 121-08178** 1/4 HEX AND T40 BIT
- 121-08179** TORX T25 AND T27 BIT
- 121-08180** STRAIGHT SLOT & #2 PHILLIPS
- 121-08382** 3mm x 4mm HEX BIT
- 121-08342** 2 PIECE BIT SET, #2 & #3 PHILLIPS AND 4.6 & 5.6 STRAIGHT
- 121-08343** 3 PIECE BIT SET, #2 & #3 PHILLIPS, 4.6 & 5.6 STRAIGHT, M5 & M6 HEX
- 121-08344** 5 PIECE DRIVE BIT SET
- 121-08345** 7 PIECE DRIVE BIT SET



## Folding Trail T-Handle Set 121-08297

- Honorable mention in Dirt Rider Magazine December 2004
- Compact 1/4 in. drive folding T-Handle is perfect for all tool packs
- This unique T-handle set includes 8,10,12 and 13mm six-point sockets
- Includes a nylon carrying case with internal pockets to hold your folding T-Handle, sockets and additional accessories
- Customize your T-Handle set with your own 1/4 in. accessories
- Features a durable hard nickel pewter finish
- Standard one year warranty

## 1/4" Drive 12 Point 5/16" Deep Socket 121-08384

- Works with all 5/16 Bits (see above)
- Works with Folding Trail Set (see above)
- Works with any 1/4" Drive



## 6mm 1/4" Drive 6 Point Socket 121-08408

- For bolts commonly found on KTM and hose clamps found on most brand motorcycles
- Made from chrome vanadium tool steel
- Satin chrome finish
- Perfect addition for any tool pack



REV. 06-02-08

# Wrenches

## 11 Slot T-Handle Rack 121-08114

- Easily hangs on the side of most tool boxes
- Keeps T-Handles accessible and ready for action



## Wall Bracket for T-Handle Rack 121-08435

- For mounting T-Handle Rack to the side of a toolbox, wall, etc.
- Features a quick release pin for removing and attaching the rack
- **Includes built in bottle opener**
- Made from heavy-duty 12 gauge zinc plated steel
- Wall Bracket works only with 121-08114



## Hex & Star Pro Wrench Sets

- 180 degree swivel head with extra long handle for accessing hard to reach places
- Pivot design allows for easy rotation around obstructions
- Pivot design allows you to keep the wrench and fastener engaged when access is limited
- Heat treated alloy tool steel w/ Chrome plated finish
- Includes heavy duty folding canvas storage pouch

### 121-08420

- Hex Pro Metric Pivot Head Hex Wrench Set, 6 pc
- Includes 3, 4, 5, 6, 8, and 10 mm wrenches



### 121-08419

- Hex Pro SAE Pivot Head Hex Wrench Set, 5 pc
- Includes 3/16, 7/32, 1/4, 5/16, and 3/8" wrenches



### 121-08421

- Star Pro, Pivot Head Star Wrench Set, 6 pc
- Includes T-25, T-27, T-30, T-40, T-45, and T-50 wrenches



## Dual Drive L-Handles

- Impact resistant ergonomic molded handle reduces hand fatigue
- Use drive side to tighten/loosen fasteners and shaft side for quick installation/removal of fasteners
- Use with 1/4" & 3/8" drive sockets, hex drives, crow's foot, swivels, etc.
- One piece chrome-vanadium tool steel shafts
- Durable nickel pewter finish
- Lifetime replacement warranty



### 121-08361

- 3/8" L-Handle 10" long

### 121-08362

- 3/8" L-Handle 7.5" long

### 121-08363

- 1/4" L-Handle 10" long

### 121-08364

- 1/4" L-Handle 7.5" long

REV. 06-02-08

# Wrenches

## T-Handle Wrenches

**401-03852**

- Phillips #2

**401-03853**

- Phillips #3



## T-Handle Wrenches

**401-03860**

- 8 mm Socket

**401-03861**


- 10 mm Socket

**401-03862**

- 12 mm Socket

**401-03863**

- 14 mm Socket



## Hex Wrenches

### Metric

911-00015	1.5mm
911-00020	2.0mm
911-00025	2.5mm
911-00030	3.0mm
911-00040	4.0mm
911-00050	5.0mm
911-00060	6.0mm
911-00080	8.0mm
911-00100	10.0mm
911-00120	12.0mm
911-00140	14.0mm
911-00170	17.0mm
911-00190	19.0mm



### American

911-00245	5/64"
911-00246	3/32"
911-00248	1/8"
911-00250	5/32"
911-00254	7/32"

## Ball End Allen Set 9 Piece

**121-08185**

- Made of chrome-vanadium tool steel
- Sizes included 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm
- Ball end allows for better access to allen-head bolts (up to 25-degree working angle)
- Convenient holder included

